



ELSEVIER

Mechanisms of Development 54 (1995) 251-252



Author index

Volume 54 (1996)

Åberg, T., see Vaahtokari, A. 54, 39

Aberger, F., The *Xenopus* homologue of hepatocyte growth factor-like protein is specifically expressed in the presumptive neural plate during gastrulation 54, 23

Ando, M., see Ohta, K. 54, 59

Berkenstam, A., see Pettersson, K. 54, 211

Binder, O., see Kühl, M. 54, 71

Bouché, M., see Polimeni, M. 54, 107

Bouillet, P., see Chazaud, C. 54, 83

Broos, L., see Zwart, R. 54, 185

Calothy, G., see Casado, F.J. 54, 237

Carlsson, B., see Pettersson, K. 54, 211

Casado, F.J., *QRI*, a retina-specific gene, encodes an extracellular matrix protein exclusively expressed during neural retina differentiation 54, 237

Chambon, P., see Chazaud, C. 54, 83

Chazaud, C., AP-2.2, a novel gene related to AP-2, is expressed in the forebrain, limbs and face during mouse embryogenesis 54, 83

Cho, E.S., see Hellmich, H.L. 54, 95

Cossu, G., see Polimeni, M. 54, 107

de Boer, J., see de Vries, C.J.M. 54, 225

De Gregorio, L., see Polimeni, M. 54, 107

de Roos, K., see van der Wees, J. 54, 173

de Vries, C.J.M., Active complex formation of type I and type II activin and TGF β receptors in vivo as studied by overexpression in zebrafish embryos 54, 225

Décimo, D., see Chazaud, C. 54, 83

Destrée, O.H.J., see van der Wees, J. 54, 173

Diaz, R.J., Graded effect of *tailless* on posterior gut development: molecular basis of an allelic series of a nuclear receptor gene 54, 119

Dollé, P., see Chazaud, C. 54, 83

Dragani, T.A., see Polimeni, M. 54, 107

Duboule, D., see van der Hoeven, F. 54, 9

Durston, A.J., see van der Wees, J. 54, 173

Feichtinger, R., see Schnabel, R. 54, 133

Finnemann, S., see Kühl, M. 54, 71

Fraudeau, N., see van der Hoeven, F. 54, 9

Giorgi, S., see Polimeni, M. 54, 107

Godsave, S.F., see van der Wees, J. 54, 173

Grosfeld, G., see Zwart, R. 54, 185

Harbecke, R., see Diaz, R.J. 54, 119

Hellmich, H.L., Embryonic expression of glial cell-line derived neurotrophic factor (GDNF) suggests multiple developmental roles in neural differentiation and epithelial-mesenchymal interactions 54, 95

Hikasa, H., see Tashiro, K. 54, 161

Hirokawa, K., see Ohta, K. 54, 59

Holewa, B., Transcriptional hierarchy in *Xenopus* embryogenesis: HNF4 a maternal factor involved in the developmental activation of the gene encoding the tissue specific transcription factor HNF1 α (LFB1) 54, 45

Hutter, H., see Schnabel, R. 54, 133

Huylenbroeck, D., see de Vries, C.J.M. 54, 225

Ito, Y., see Tashiro, K. 54, 161

Iwama, A., see Ohta, K. 54, 59

Izpisúa-Belmonte, J.-C., see van der Hoeven, F. 54, 9

Janning, W., see Diaz, R.J. 54, 119

Jeanny, J.-C., see Casado, F.J. 54, 237

Jernvall, J., see Vaahtokari, A. 54, 39

Joore, J., see de Vries, C.J.M. 54, 225

Keränen, S., see Vaahtokari, A. 54, 39

Kimelman, D., see von Bubnoff, A. 54, 149

Koga, C., see Tashiro, K. 54, 161

Kos, L., see Hellmich, H.L. 54, 95

Krone, P.H., see Sass, J.B. 54, 195

Kühl, M., Dominant negative expression of a cytoplasmically deleted mutant of XB/U-cadherin disturbs mesoderm migration during gastrulation in *Xenopus laevis* 54, 71

Lecoq, O., see Casado, F.J. 54, 237

Lengyel, J.A., see Diaz, R.J. 54, 119

Lorenz, P., see Holewa, B. 54, 45

Mahon, K.A., see Hellmich, H.L. 54, 95

Matharu, P.J., see van der Wees, J. 54, 173

Mattsson, R., see Pettersson, K. 54, 211

Meijer, D., see Zwart, R. 54, 185

Miyazono, K., see de Vries, C.J.M. 54, 225

Molinaro, M., see Polimeni, M. 54, 107

Nakamura, H., see Tashiro, K. 54, 161

Nakamura, M., see Ohta, K. 54, 59

Ohlsson, R., see Pettersson, K. 54, 211

Ohta, K., The receptor tyrosine kinase, Cek8, is transiently expressed on subtypes of motoneurons in the spinal cord during development 54, 59

Oulad-Abdelghani, M., see Chazaud, C. 54, 83

Pettersson, K., Expression of a novel member of estrogen response element-binding nuclear receptors is restricted to the early stages of chorion formation during mouse embryogenesis 54, 211

Pierani, A., see Casado, F.J. 54, 237

Pignoni, F., see Diaz, R.J. 54, 119

Pogge v. Strandmann, E., see Holewa, B. 54, 45

Polimeni, M., Differentiation dependent expression in muscle cells of ZT3, a novel zinc finger factor differentially expressed in embryonic and adult tissues **54**, 107

Pouponnot, C., see Casado, F.J. **54**, 237

Richter, K., see Aberger, F. **54**, 23

Ryffel, G.U., see Holewa, B. **54**, 45

Sass, J.B., Specific localization of zebrafish *hsp90 α* mRNA to *myoD*-expressing cells suggests a role for *hsp90 α* during normal muscle development **54**, 195

Schmidt, G., see Aberger, F. **54**, 23

Schmidt, J.E., see von Bubnoff, A. **54**, 149

Schnabel, H., see Schnabel, R. **54**, 133

Schnabel, R., *mex-1* and the general partitioning of cell fate in the early *C. elegans* embryo **54**, 133

Shiokawa, K., see Tashiro, K. **54**, 161

Singer, J.B., see Diaz, R.J. **54**, 119

Sordino, P., see van der Hoeven, F. **54**, 9

Staab, S., Female germ cells of *Drosophila* require zygotic *ovo* and *otu* product for survival in larvae and pupae respectively **54**, 205

Steinmann-Zwicky, M., see Staab, S. **54**, 205

Strähle, U., see de Vries, C.J.M. **54**, 225

Suda, T., see Ohta, K. **54**, 59

Svensson, K., see Pettersson, K. **54**, 211

Sweeney, G.E., see van der Wees, J. **54**, 173

Tanaka, H., see Ohta, K. **54**, 59

Tanaka, S., see Ohta, K. **54**, 59

Tashiro, K., Cloning and expression studies of cDNA for a novel *Xenopus* cadherin (XmN-cadherin), expressed maternally and later neural-specifically in embryogenesis **54**, 161

Thesleff, I., see Vaahokari, A. **54**, 39

Tooi, O., see Tashiro, K. **54**, 161

Vaahokari, A., The enamel knot as a signaling center in the developing mouse tooth **54**, 39

van Achterberg, T.A.E., see de Vries, C.J.M. **54**, 225

van den Eijnden-van Raaij, A.J.M., see de Vries, C.J.M. **54**, 225

van der Hoeven, F., Teleost *HoxD* and *HoxA* genes: comparison with tetrapods and functional evolution of the *HOXD* complex **54**, 9

van der Wees, J., Developmental expression and differential regulation by retinoic acid of *Xenopus COUP-TF-A* and *COUP-TF-B* **54**, 173

Verschueren, K., see de Vries, C.J.M. **54**, 225

von Bubnoff, A., The *Xenopus laevis* homeobox gene *Xgbx-2* is an early marker of anteroposterior patterning in the ectoderm **54**, 149

Wedlich, D., see Kühl, M. **54**, 71

Weigner, C., see Schnabel, R. **54**, 133

Weinberg, E.S., see Sass, J.B. **54**, 195

Zapp, D., see Holewa, B. **54**, 45

Zimmer, A., see Hellmich, H.L. **54**, 95

Zivkovic, D., see de Vries, C.J.M. **54**, 225

Zwart, R., The restricted expression pattern of the POU factor Oct-6 during early development of the mouse nervous system **54**, 185

Subject index

Volume 54 (1996)

Activin receptors; Zebrafish; Axis formation **54**, 225

Amniotic folds/chorion; Orphan receptor; Estrogen response element; hsp90 **54**, 211

Anteroposterior patterning; *Xenopus* embryogenesis; Homeobox genes; *Xgbx-2*; *Gbx-2*; *CHox7*; Retinoic acid **54**, 149

AP-2 gene family; Mouse development; Transcription factor; RNA in situ hybridization; AP-2.2 pattern of expression **54**, 83

AP-2.2 pattern of expression; Mouse development; AP-2 gene family; Transcription factor; RNA in situ hybridization **54**, 83

Axis formation; Zebrafish; Activin receptors **54**, 225

Bmp; *Shh*; *Sonic hedgehog*; *Bone morphogenetic protein*; *Fgf*; Morphogenesis **54**, 39

Bone morphogenetic protein; *Shh*; *Sonic hedgehog*; *Bmp*; *Fgf*; Morphogenesis **54**, 39

Brain development; Oct-6; POU domain; Neuroectoderm; Prosomere **54**, 185

C. elegans embryo; *mex-1*; Cell lineage analysis **54**, 133

Cadherin; *Xenopus*; cDNA library; Maternally expressed neural cadherin **54**, 161

cDNA library; *Xenopus*; Cadherin; Maternally expressed neural cadherin **54**, 161

Cek8; Motoneuron; Receptor tyrosine kinase **54**, 59

Cell adhesion; *Xenopus* embryogenesis; Convergent extension **54**, 71

Cell lineage analysis; *mex-1*; *C. elegans* embryo **54**, 133

Central nervous system; Gene expression; Kidney development; Intestine development; Mesenchyme **54**, 95

CHox7; *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; Retinoic acid **54**, 149

Chromosome mapping; Muscle development; Muscle differentiation; Regulatory factors; Zinc finger proteins; Gene expression **54**, 107

Convergent extension; *Xenopus* embryogenesis; Cell adhesion **54**, 71

Development; Neural retina; Extracellular matrix; Müller cells; Photoreceptors **54**, 237

Estrogen response element; Orphan receptor; Amniotic folds/chorion; hsp90 **54**, 211

Extracellular matrix; Neural retina; Development; Müller cells; Photoreceptors **54**, 237

Fate mapping; Gut development; Nuclear receptor; Transcription factor; Mutant DNA sequence **54**, 119

Fgf; *Shh*; *Sonic hedgehog*; *Bmp*; *Bone morphogenetic protein*; Morphogenesis **54**, 39

Fish; *Hox* genes; Tetrapods; *HOXD* complex **54**, 9

Gbx-2; *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *CHox7*; Retinoic acid **54**, 149

Gene expression; Central nervous system; Kidney development; Intestine development; Mesenchyme **54**, 95

Gene expression; Muscle development; Muscle differentiation; Regulatory factors; Zinc finger proteins; Chromosome mapping **54**, 107

Gene injection; Transcriptional cascade; Maternal gradient; Promoter; Nuclear receptor **54**, 45

Germline; Sex determination; Sexual dimorphism **54**, 205

Gut development; Fate mapping; Nuclear receptor; Transcription factor; Mutant DNA sequence **54**, 119

Heat shock; hsp90; Zebrafish; MyoD; Myogenesis **54**, 195

Hepatocyte growth factor-like (HGF-like) protein; Neural induction; *Xenopus*; Neural plate **54**, 23

Homeobox genes; *Xenopus* embryogenesis; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; *CHox7*; Retinoic acid **54**, 149

Hox genes; Tetrapods; Fish; *HOXD* complex **54**, 9

HOXD complex; *Hox* genes; Tetrapods; Fish **54**, 9

hsp90; Heat shock; Zebrafish; MyoD; Myogenesis **54**, 195

hsp90; Orphan receptor; Amniotic folds/chorion; Estrogen response element **54**, 211

Intestine development; Gene expression; Central nervous system; Kidney development; Mesenchyme **54, 95**

Kidney development; Gene expression; Central nervous system; Intestine development; Mesenchyme **54, 95**

Maternal gradient; Transcriptional cascade; Gene injection; Promoter; Nuclear receptor **54, 45**

Maternally expressed neural cadherin; *Xenopus*; Cadherin; cDNA library **54, 161**

Mesenchyme; Gene expression; Central nervous system; Kidney development; Intestine development **54, 95**

mex-1; *C. elegans* embryo; Cell lineage analysis **54, 133**

Morphogenesis; *Shh*; *Sonic hedgehog*; *Bmp*; *Bone morphogenetic protein*; *Fgf* **54, 39**

Motoneuron; Receptor tyrosine kinase; *Cek8* **54, 59**

Mouse development; AP-2 gene family; Transcription factor; RNA in situ hybridization; AP-2.2 pattern of expression **54, 83**

Müller cells; Neural retina; Development; Extracellular matrix; Photoreceptors **54, 237**

Muscle development; Muscle differentiation; Regulatory factors; Zinc finger proteins; Gene expression; Chromosome mapping **54, 107**

Muscle differentiation; Muscle development; Regulatory factors; Zinc finger proteins; Gene expression; Chromosome mapping **54, 107**

Mutant DNA sequence; Fate mapping; Gut development; Nuclear receptor; Transcription factor **54, 119**

MyoD; Heat shock; *hsp90*; Zebrafish; Myogenesis **54, 195**

Myogenesis; Heat shock; *hsp90*; Zebrafish; *MyoD* **54, 195**

Neural induction; Hepatocyte growth factor-like (HGF-like) protein; *Xenopus*; Neural plate **54, 23**

Neural pattern; *Xenopus*; *xCOUP-TF-A*; *xCOUP-TF-B*; Retinoic acid **54, 173**

Neural plate; Hepatocyte growth factor-like (HGF-like) protein; Neural induction; *Xenopus* **54, 23**

Neural retina; Development; Extracellular matrix; Müller cells; Photoreceptors **54, 237**

Neuroectoderm; Oct-6; POU domain; Brain development; Prosomere **54, 185**

Nuclear receptor; Fate mapping; Gut development; Transcription factor; Mutant DNA sequence **54, 119**

Nuclear receptor; Transcriptional cascade; Maternal gradient; Gene injection; Promoter **54, 45**

Oct-6; POU domain; Neuroectoderm; Brain development; Prosomere **54, 185**

Orphan receptor; Amniotic folds/chorion; Estrogen response element; *hsp90* **54, 211**

Photoreceptors; Neural retina; Development; Extracellular matrix; Müller cells **54, 237**

POU domain; Oct-6; Neuroectoderm; Brain development; Prosomere **54, 185**

Promoter; Transcriptional cascade; Maternal gradient; Gene injection; Nuclear receptor **54, 45**

Prosomere; Oct-6; POU domain; Neuroectoderm; Brain development **54, 185**

Receptor tyrosine kinase; Motoneuron; *Cek8* **54, 59**

Regulatory factors; Muscle development; Muscle differentiation; Zinc finger proteins; Gene expression; Chromosome mapping **54, 107**

Retinoic acid; *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; *CHox7* **54, 149**

Retinoic acid; *Xenopus*; *xCOUP-TF-A*; *xCOUP-TF-B*; Neural pattern **54, 173**

RNA in situ hybridization; Mouse development; AP-2 gene family; Transcription factor; AP-2.2 pattern of expression **54, 83**

Sex determination; Germline; Sexual dimorphism **54, 205**

Sexual dimorphism; Germline; Sex determination **54, 205**

Shh; *Sonic hedgehog*; *Shh*; *Bmp*; *Bone morphogenetic protein*; *Fgf*; Morphogenesis **54, 39**

Sonic hedgehog; *Shh*; *Bmp*; *Bone morphogenetic protein*; *Fgf*; Morphogenesis **54, 39**

Tetrapods; *Hox* genes; Fish; *HOXD* complex **54, 9**

Transcription factor; Fate mapping; Gut development; Nuclear receptor; Mutant DNA sequence **54, 119**

Transcription factor; Mouse development; AP-2 gene family; RNA in situ hybridization; AP-2.2 pattern of expression **54, 83**

Transcriptional cascade; Maternal gradient; Gene injection; Promoter; Nuclear receptor **54, 45**

xCOUP-TF-A; *Xenopus*; *xCOUP-TF-B*; Retinoic acid; Neural pattern **54, 173**

xCOUP-TF-B; *Xenopus*; *xCOUP-TF-A*; Retinoic acid; Neural pattern **54, 173**

Xenopus embryogenesis; Cell adhesion; Convergent extension **54, 71**

Xenopus embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; *CHox7*; Retinoic acid **54, 149**

Xenopus; Cadherin; cDNA library; Maternally expressed neural cadherin **54, 161**

Xenopus; Hepatocyte growth factor-like (HGF-like) protein; Neural induction; Neural plate **54, 23**

Xenopus; *xCOUP-TF-A*; *xCOUP-TF-B*; Retinoic acid; Neural pattern **54, 173**

Xgbx-2; *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Gbx-2*; *CHox7*; Retinoic acid **54**, 149

Zebrafish; Activin receptors; Axis formation **54**, 225

Zebrafish; Heat shock; hsp90; MyoD; Myogenesis **54**, 195

Zinc finger proteins; Muscle development; Muscle differentiation; Regulatory factors; Gene expression; Chromosome mapping **54**, 107